



PRODUCT
BROCHURE

**Concrete Cube and Cylinder
Splitting Tensile Apparatus**

C3305 , C3310 , C3315



Concrete Cube and Cylinder Splitting Tensile Apparatus



PRODUCT MODEL

C3305	Cylinder Splitting Tensile Apparatus for Ø100x200 Moulds
C3310	Cylinder Splitting Tensile Apparatus for Ø150x300 and Ø160x320 Moulds
C3215	Cube Splitting Tensile Apparatus for 100 mm and 150 mm Cube Moulds

PRODUCT STANDARDS

Standards	EN 12390-6, ASTM C496, BS 1881:117
------------------	------------------------------------

DESCRIPTION

The Cylinder Splitting Tensile Apparatus are used to measure the tensile strength in the case of the cutting of cylindrical samples with a diameter of 100x200 mm, 150x300 mm and 160x320 mm. Accessory for the compression machines. The Cube Splitting Tensile Apparatus is used for splitting for road tiles and cubes with dimensions up to 100 and 150 mm. It is fixed directly on pressure plates.

TECHNICAL SPECIFICATIONS

Dimensions	340x150x330 mm
Weight	25 kg

THANK YOU

FOR CHOOSE US

Dear business partners, thank you very much for believing in us and recommending our products to your customers; We sincerely believe that our company will grow even more thanks to you, our esteemed business partners.

You can reach us than our phones or e mail address 24 hours a day.

GET IN TOUCH

Dear business partners, thank you very much for believing in us and recommending our products to your customers; We sincerely believe that our company will grow even more thanks to you, our esteemed business partners.



+90 312 395 44 57



sales@profix6.com



www.profix6.com



Ağaç Metal Sanayi Sitesi 1354 Cadde
1436 Sokak No:16 Ivogsan Yenimahalle
- ANKARA / TÜRKİYE